

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	("edge device" or "router") and "network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and ("aggregation unit" or "processing unit") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:19
L2	5	("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and ("aggregation unit" or "processing unit") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:19
L3	5	("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and ("aggregation unit" or "processing unit") and (encapsulate or encapsulating) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:20
L4	0	("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and "aggregation unit" and (encapsulate or encapsulating) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:20
L5	35448	((370/409) or (370/410) or (370/474) or (370/468) or (370/399) or (370/535) or (370/228-235) or (370/394) or (370/412) or (370/498) or (370/429) or (370/493) or (370/205-207) or (370/286) or (370/524) or (370/401) or (370/469) or (370/402) or (370/403) or (370/404) or (370/437) or (370/224) or (370/453-455) or (370/389-414, 370/468) or (370/347-358) or (370/442) or (370/447-449) or (370/256) or (714/4)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:07

L6	35448	((370/409) or (370/410) or (370/474) or (370/468) or (370/399) or (370/535) or (370/228-235) or (370/394) or (370/412) or (370/498) or (370/429) or (370/493) or (370/205-207) or (370/286) or (370/524) or (370/401) or (370/469) or (370/402) or (370/403) or (370/404) or (370/437) or (370/224) or (370/453-455) or (370/389-414) or (370/468) or (370/347-358) or (370/442) or (370/447-449) or (370/256) or (714/4)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:07
L7	11	L6 and ("edge device" or "router") and "logical interface" and "physical interface" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08
L8	0	L6 and ("edge device" or "router") and "logical interface" and "layer 2 address" and "physical interface" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08
L9	50	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or "physical port") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08
L10	97	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
L11	97	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
L12	96	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
L13	5	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and "context information" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09

L14	10	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((remove or removing) NEAR9 address) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
L15	93	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((remove or removing) NEAR9 MAC address) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
L16	5	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((remove or removing) NEAR9 "MAC address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
L17	21	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((delete or deleting) NEAR9 address) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
L18	5	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((delete or deleting) NEAR9 "MAC address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
L19	5	L6 and ("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and "add" and ((delete or deleting) NEAR9 "MAC address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
L20	1	L6 and ("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10

L21	17	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:11
L22	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and "vpn-index" and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:11
L23	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and "vpn-index" and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:11
L24	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and "vpn index" and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
L25	5	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
L26	0	L6 and ("edge device" or "router") and "vpn OUI" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
L27	0	L6 and ("edge device" or "router") and "VPN-OUI" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12

L28	0	L6 and ("edge device" or "router") and "VPN-Index" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
L29	0	L6 and ("edge device" or "router") and "VPN OUI" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
L30	0	L6 and ("edge device" or "router") and "VPN organizational universal identifier" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
L31	0	L6 and ("edge device" or "router") and "organizational universal identifier" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
L32	11	L6 and ("edge device" or "router") and "address advertisement" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
L33	0	L6 and ("edge device" or "router") and "address advertisement" and "carrier information" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
L34	0	L6 and ("edge device" or "router") and "aggregation unit" and ("access router" or router) and "port" and "encapsulating" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
L35	0	L6 and "edge" and "aggregation unit" and ("access router" or router) and "port" and "encapsulating" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
L36	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and "same layer 3 address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14

L37	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR9 "layer 3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
L38	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR9 "layer-3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
L39	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR9 "layer-3") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
L40	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "layer-3") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
L41	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "layer-3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
L42	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "layer 3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16

L43	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "network address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
L44	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR "network address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
L45	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR "network address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
L46	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR "carrier address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17
L47	1	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17
L48	1	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17

L49	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "vpn" and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17
L50	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "ensulat" and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
L51	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and (encapsulating or encapsulated) and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
L52	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and (encapsulating or encapsulate) and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
L53	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and (encapsulate or encapsulated) and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
L54	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (address NEAR advertisement) and (data or "context information") and (encapsulating or encapsulate) and "link" and "table" and "forwarding" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:19

L55	0	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and (address NEAR3 advertisement) and (data or "context information") and (encapsulating or encapsulate) and "link" and "table" and "forwarding" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:19
L56	7	L6 and ("edge device" or "router") and "network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and ("aggregation unit" or "processing unit") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:19
L57	5	L6 and ("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and ("aggregation unit" or "processing unit") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:20
L58	5	L6 and ("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and ("aggregation unit" or "processing unit") and (encapsulate or encapsulating) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:20
L59	0	L6 and ("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("storage device" or memory) and (data or "context information") and "link" and (trunk or trunking) and "aggregation unit" and (encapsulate or encapsulating) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:20
S27 3	18	("edge device" or "router") and "logical interface" and "physical interface" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08

S27 4	0	("edge device" or "router") and "logical interface" and "layer 2 address" and "physical interface" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08
S27 5	78	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or "physical port") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:08
S27 6	155	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
S27 7	153	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
S27 8	5	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and "context information" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
S27 9	12	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((remove or removing) NEAR9 address) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:09
S28 0	143	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((remove or removing) NEAR9 MAC address) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
S28 1	6	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((remove or removing) NEAR9 "MAC address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10

S28 2	6	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((delete or deleting) NEAR9 "MAC address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
S28 3	24	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and ((delete or deleting) NEAR9 address) and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
S28 4	6	("edge device" or "router") and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and "add" and ((delete or deleting) NEAR9 "MAC address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
S28 5	1	("edge device" or "router") and "transport network" and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:10
S28 6	19	("edge device" or "router") and "network" and ("logical interface" or "logical port") and ("physical interface" or port) and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:11
S28 7	5	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
S28 9	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and "vpn-index" and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:11

S29 0	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and "vpn index" and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
S29 1	0	("edge device" or "router") and "vpn OUI" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
S29 2	0	("edge device" or "router") and "VPN-OUI" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
S29 3	0	("edge device" or "router") and "VPN-Index" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:12
S29 4	2	("edge device" or "router") and "VPN Index" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:04
S29 5	0	("edge device" or "router") and "VPN OUI" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
S29 6	0	("edge device" or "router") and "VPN organizational universal identifier" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
S29 7	0	("edge device" or "router") and "organizational universal identifier" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13
S29 8	21	("edge device" or "router") and "address advertisement" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:13

S30 0	0	("edge device" or "router") and "address advertisement" and "carrier information" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
S30 1	0	("edge device" or "router") and "aggregation unit" and ("access router" or router) and "port" and "encapsulating" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
S30 2	0	"edge" and "aggregation unit" and ("access router" or router) and "port" and "encapsulating" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
S30 3	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and "same layer 3 address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:14
S30 4	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR9 "layer 3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
S30 5	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR9 "layer-3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
S30 6	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR9 "layer-3") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15

S30 7	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "layer-3") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:15
S30 8	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "layer-3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
S30 9	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "layer 3 address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
S31 0	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR9 "network address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
S31 1	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("identical" NEAR "network address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16
S31 2	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR "network address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:16

S31 3	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and ("same" NEAR "carrier address") and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17
S31 4	0	"ingress edge device" and "egress edge device" and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 15:02
S31 5	0	"ingress edge router" and "egress edge router" and "network" and ("logical interface" or "logical port") and (vpn or "virtual private network") and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 11:30
S31 6	2	("6751220").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 11:30
S31 7	1	("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "forwarding table" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17
S31 8	3	("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17
S31 9	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "vpn" and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:17

S32 0	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and "ensulat" and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
S32 1	1	("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and (encapsulating or encapsulate) and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
S32 2	1	("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and (encapsulating or encapsulated) and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
S32 3	1	("edge device" or "router") and "network" and ("logical interface" or "logical port") and "ethernet header" and (data or "context information") and (encapsulate or encapsulated) and "source address" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
S32 4	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (address NEAR advertisement) and (data or "context information") and (encapsulating or encapsulate) and "link" and "table" and "forwarding" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:18
S32 5	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (address NEAR3 advertisement) and (data or "context information") and (encapsulating or encapsulate) and "link" and "table" and "forwarding" and "destination address" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 13:19

S32 6	0	("edge device" or "router") and "network" and ("logical interface" or "logical port") and (address NEAR3 advertisement) and (data or "context information") and "link" and "table" and "forwarding" and @ad<"20000831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 10:12
----------	---	--	---	----	-----	------------------